

```

1 1=Program          lev.1 :ACTIVE
2 2=Analyze         TYCO
3 3=View logs       WAITS
4 4=More            09:25:28 Sep 09 2009

```

FIRE

GENERAL FAULT	MORE INFO	1 ABC	2 DEF	3 GHI	A
SYSTEM FAULT	SOUNDERS SILENCED	4 JKL	5 MNO	6 PQR	B C
FIRE SIGNAL FAULT	FIRE SIGNAL ON	7 STU	8 VWX	9 YZ	D
POWER SUPPLY FAULT	SOUNDERS FAULTS/DIS	ESC	0	←	?
EARTH FAULT	DISABLED	SILENCE/RESOUND SOUNDERS		RESET	INVESTIGATION DELAY
BATTERY TROUBLE	CONTROLS ON	TEST		E	F
POWER ON	DAY MODE ON	EVAC		SILENCE BUZZER	LAMP TEST





New Addressable Panel for Conventional Needs

Save installation cost & time.

Out of the box, no need for installation tools or software.

Easy to configure and use, little training needed.

Full local and remote monitoring and control.

Suitable for many applications



Easy to Programme and Saves Installation Cost & Time



- An entry level Triple Circuit Single Loop addressable system featuring Intelli-Zone mapping.
- An “out of the box” panel that replaces conventional technology with a more powerful, cost effective solution.
- A perfect choice for small systems, with up to 128 devices shared across 3 loop circuits.
- A panel that uses the wide range of loop devices provided by FireClass.

Out of the box

Programmable via keypad

- Front panel controls enabling text and configuration changes.
- No need for configuration software.
- 8 Users / 2 Engineers.



USB Interface

- Upload/download panel configuration.
- Upload languages.
- Upload vocal dial out messages.
- Firmware upgrade.





It's

 FIRECLASS

www.fireclass.net