

DIPC-B1219.1.70.210705

Release Notes

Zhejiang Uniview Technologies Co., Ltd

DIPC-B1219.1.70.210705

Release Notes

Keywords: Version information, version upgrade

Abstract: This document provides detailed version information and upgrade procedure for DIPC-B1219.1.70.210705.

Acronym:

Acronym	Full Name
IPC	IP Camera

Content

1 Version Information	3
1.1 Version Number	3
1.2 Release History	3
1.3 Version Mapping Table	3
2 Feature Change Description	4
3 Version Upgrade Description	4
4 Version Upgrade Procedure	4
4.1 Upgrade Overview	4
4.1.1 Version Upgrade Environment	4
4.1.2 Version Upgrade Modes	4
4.2 Upgrade Procedure	5
4.2.1 Upgrade Through the Web	5

1 Version Information

1.1 Version Number

DIPC-B1219.1.70.210705

1.2 Release History

Table1 Released versions

Version No.	Basic Version No.	Released On	Remarks
DIPC-B1219.1.70.210705	DIPC-B1219.1.69.210512	2021-07-20	Improved release

Table2 Version mapping table

Product Mapping Item	Version No. (For External)
NVR	B3111.29.42.210125

1.3 Version Mapping Table

Table3 Product models and corresponding versions

Product Series	IPC Series
Series	IPC322LB、IPC3612LB、IPC2122LB、IPC-B122、IPC-T122、IPC-D122、IPC-B124、IPC-T124、IPC-D124、IPC-B125、IPC-T125、IPC-D125
Models	<p>IPC322LB series: IPC322LB-SF28-A、IPC322LB-SF40-A、IPC322LB-SBF28-A</p> <p>IPC3612LB series: IPC3612LB-SF28-A、IPC3612LB-SF40-A、IPC3612LB-SBF28-A</p> <p>IPC2122LB series: IPC2122LB-SF28-A、IPC2122LB-SF40-A、IPC2122LB-SBF40-A</p> <p>IPC-B122 series: IPC-B122-APF28-SC、IPC-B122-APF40-SC、IPC-B122-APF28、IPC-B122-APF40</p> <p>IPC-T122 series: IPC-T122-APF28-SC、IPC-T122-APF40-SC、IPC-T122-APF28、IPC-T122-APF40</p> <p>IPC-D122 series: IPC-D122-PF28-SC、IPC-D122-PF40-SC、IPC-D122-PF28、IPC-D122-PF40</p> <p>IPC-B124 series: IPC-B124-APF28-SC、IPC-B124-APF40-SC</p> <p>IPC-T124 series: IPC-T124-APF28-SC、IPC-T124-APF40-S</p> <p>IPC-D124 series:</p>

	IPC-D124-PF28-SC、IPC-D124-PF40-SC IPC-B125 series: IPC-B125-APF28-SC、IPC-B125-APF40-SC IPC-T125 series: IPC-T125-APF28-SC、IPC-T125-APF40-SC IPC-D125 series: IPC-D125-PF28-SC、IPC-D125-PF40-SC
Target file name	DIPC-B1219.1.70.210705.zip

2 Feature Change Description

None.

3 Version Upgrade Description

None.


4 Version Upgrade Procedure

4.1 Upgrade Overview

4.1.1 Version Upgrade Environment

1. Network Architecture for Upgrade

Figure1Network architecture



As shown in this figure, the version files are stored on the PC that is connected to the IPCs through the network.

4.1.2 Version Upgrade Modes

You can upgrade through the Web.

4.2 Upgrade Procedure

4.2.1 Upgrade Through the Web

- (1) Log in to the Web interface as **admin** (default password: 123456).
- (2) Click **Setup>Maintenance>Device Maintenance**. The **Device Maintenance** page is displayed.

The screenshot displays the 'Device Maintenance' web interface with the following sections:

- Firmware Upgrade:** Includes an 'Upgrade File' text box, a 'Browse...' button, an 'Upgrade' button, and an unchecked 'Upgrade Boot Program' checkbox.
- Device Restart:** Features a 'Restart' button with the text 'Restart the device.', an unchecked 'Enable Auto Restart' checkbox, a frequency dropdown menu set to 'Each Day', a time field set to '02:00:00', and an 'OK' button.
- Config Management:** Contains a 'Default' button with the text 'Keep current network and user settings and restore other settings to defaults.', an 'Importing' text box with a 'Browse...' button and an 'Import' button, and an 'Exporting' text box containing 'C:\Users\Desktop\lftp' with a 'Browse...' button and an 'Export' button.
- Diagnosis Info:** Shows a 'Storage Path' text box containing 'C:\Users\MyLocalFiles\Debug\', a 'Browse...' button, and a 'Download' button.

- (3) Click **Browse** in the **Firmware Upgrade** area. In the **Select** dialog box that appears, select the upgrade file package, for example, IPC_D1219-XXXXX.zip, and then click **Open**.
- (4) Click **Upgrade**. You cannot operate on other pages during the upgrade process.
- (5) Wait till the upgrade is completed. A message appears to indicate successful upgrade and prompt you to log in again after the device restarts.