

IPC_5202_IN_Eng-F150501P02

Release Notes

Zhejiang Uniview Technologies Co., Ltd

IPC_5202_IN_Eng-F150501P02 Release Notes

Keywords: Version information, version upgrade

Abstract: This document provides detailed version information and upgrade procedure for IPC_5202_IN_Eng-F150501

Acronym:

Acronym	Full Name
IPC	IP Camera

Content

1 Version Information	3
1.1 Version Number	3
1.2 Release History	3
1.3 Version Mapping Table	3
1.4 New Functions	3
2 Usage Notes	4
3 Version Upgrade Description	4
3.1 Feature Upgrade Description	4
3.2 Operation Change Description	4
4 Version Upgrade Procedure	4
4.1 Upgrade Overview	4
4.1.1 Version Upgrade Environment	4
4.1.2 Version Upgrade Modes	4
4.2 Upgrade Procedure	4
4.2.1 Upgrade Through the Web	4

1 Version Information

1.1 Version Number

IPC_5202_IN_Eng-F150501P02

1.2 Release History

Table 1 Released versions

Version No.	Basic Version No.	Released On	Remarks
IPC_5202_IN_Eng-F150501P02	IPC_5202_IN_Eng-F150501	2015-06-24	improved release

1.3 Version Mapping Table

Table 2 Version mapping table

Product Mapping Item	Version No. (For External)
NVR208-32	B2210P10
NVR101-08E	R2110P10

Table 3 Product models and corresponding versions

Product Series	IPC Series	Initial Version
Series	IPC542E, IPC541E, IPC241E, IPC242E, IPC341E, IPC342E	
Models	IPC542E series: IPC542E-DL-IN	F150501
	IPC541E series: IPC541E-DL-IN	
	IPC241E series: IPC241E-DLIR-IN	
	IPC242E series: IPC242E-DLIR-IN	
	IPC341E series: IPC341E-DLV-IN, IPC341E-DLVIR-IN	
	IPC342E series: IPC342E-DLVIR-IN	
Target file name	IPC_5202_IN_Eng-F150501P02.zip	

1.4 New Functions

Alarm-triggered image sending via FTP and e-mail

Configurable UPnP port

Support smart search in NVR

2 Usage Notes

None.

3 Version Upgrade Description

3.1 Feature Upgrade Description

None.

3.2 Operation Change Description

None.


4 Version Upgrade Procedure

4.1 Upgrade Overview

4.1.1 Version Upgrade Environment

1. Network Architecture for Upgrade

Figure 1 Network architecture



As shown in this figure, the version files are stored on the PC that is connected to the IPCs through the network.

4.1.2 Version Upgrade Modes

You can upgrade through the Web.

4.2 Upgrade Procedure

4.2.1 Upgrade Through the Web

- (1) Log in to the Web interface as **admin** (default password: admin).
- (2) Click **Setup > Maintenance > Device Maintenance**. The **Device Maintenance** page is displayed.

Common ▾
Network ▾
Video & Audio ▾
Image ▾
Events ▾
Storage ▾
System ▴
User
Time
Server
Ports & Devices
▶ **Maintenance**

Maintenance

Software Upgrade
Upgrade File

Device Restart
 Restart Immediately
 Enable Auto Restart

Config Management
 Keep current network and user settings and restore other settings to defaults.
Importing
Exporting

Diagnosis Info
Storage Path

Power Output
DC12V On Off

Note: 1. Software upgrade, system restart, restoration to default and configuration import will cause device restart.
2. Restarting the device will interrupt the connection to the device.

- (3) Click **Browse** in the **Software Upgrade** area. In the **Select** dialog box that appears, select the upgrade file package, for example, IPC_5202-XXXXX.zip, and then click **Open**.
- (4) Click **Upgrade**. You cannot operate on other pages during the upgrade process.
- (5) Wait till the upgrade is completed. A message appears to indicate successful upgrade and prompt you to log in again after the device restarts.

© 2014-2015, Zhejiang Uniview Technologies Co., Ltd. All Rights Reserved.

No part of this manual may be reproduced or transmitted in any form or by any means without prior written consent of Zhejiang Uniview Technologies Co., Ltd.

The information in this manual is subject to change without notice.