# IPC\_5202\_IN\_Eng-F150601P02

# **Release Notes**

Zhejiang Uniview Technologies Co., Ltd

# IPC\_5202\_IN\_Eng-F150601P02 Release Notes

#### Keywords: Version information, version upgrade

Abstract: This document provides detailed version information and upgrade procedure for IPC\_5202\_IN\_Eng-F150601P02

#### Acronym:

Acronym	Full Name
IPC	IP Camera

# Content

1 Version Information3
1.1 Version Number ······3
1.2 Release History3
1.3 Version Mapping Table
2 Usage Notes ······3
3 Version Upgrade Description
3.1 Feature Upgrade Description4
3.2 Operation Change Description4
4 Version Upgrade Procedure
4.1 Upgrade Overview ······4
4.1.1 Version Upgrade Environment ······4
4.1.2 Version Upgrade Modes······4
4.2 Upgrade Procedure ······4
4.2.1 Upgrade Through the Web ······4

# 1 Version Information

### 1.1 Version Number

IPC\_5202\_IN\_Eng-F150601P02

### 1.2 Release History

#### Table 1 Released versions

Version No.	Basic Version No.	Released On	Remarks	
IPC_5202_IN_Eng-F150601P02	IPC_5202_IN_Eng-F150501P 02	2015-08-07	improved release	

### 1.3 Version Mapping Table

Table 2 Version mapping table

Product Mapping Item	Version No. (For External)
NVR202-08EP	B2210P10

#### Table 3 Product models and corresponding versions

Product Series	IPC Series	Initial Version	
Series	IPC542E, IPC541E, IPC241E, IPC242E, IPC341E, IPC342E		
Models	IPC542E series: IPC542E-DL-IN		
	IPC541E series: IPC541E-DL-IN	F150501	
	IPC241E series: IPC241E-DLIR-IN		
	IPC242E series: IPC242E-DLIR-IN		
	IPC341E series: IPC341E-DLV-IN, IPC341E-DLVIR-IN	_	
	IPC342E series: IPC342E-DLVIR-IN		
Target file name	IPC_5202_IN_Eng-F150601P02.zip		

# 2 Usage Notes

None.

# 3 Version Upgrade Description

### 3.1 Feature Upgrade Description

**Improved Features :** 

- 1. Supports third-party DDNS.
- 2、 Supports half hour time zones.
- 3、 One-click reset.

### 3.2 Operation Change Description


None.

## 4 Version Upgrade Procedure

### 4.1 Upgrade Overview

- 4.1.1 Version Upgrade Environment
- 1. Network Architecture for Upgrade

Figure 1 Network architecture



As shown in this figure, the version files are stored on the PC that is connected to the IPCs through the network.

#### 4.1.2 Version Upgrade Modes

You can upgrade through the Web.

### 4.2 Upgrade Procedure

#### 4.2.1 Upgrade Through the Web

- (1) Log in to the Web interface as **admin** (default password: admin).
- (2) Click Setup > Maintenance > Device Maintenance. The Device Maintenance page is displayed.

8	Maintenance			
8	Software Upgrade			
*	Upgrade File		Browse	Upgrade
*				
8				
*	Restart	Restart Immediately		
*	📄 Enable Auto Restart	Each Day 02:00:00	OK	
	Config Management			
	Default	Keep current network and user settings and restore other settings to defaults.		
	Importing		Browse	Import
Maintenance	Exporting	C:\MyLocalFiles\Debug\	Browse	Export
	Diagnosis Info			
	Storage Path	C:\MyLocalFiles\Debug\	Browse	Downloa
	Power Output			
	DC12V	On o Off		
	* * * *	<ul> <li>Software Upgrade</li> <li>Upgrade File</li> <li>Device Restart</li> <li>Restant</li> <li>Enable Auto Restart</li> <li>Config Management</li> <li>Default</li> <li>Importing</li> <li>Exporting</li> <li>Diagnosis Info</li> <li>Storage Path</li> <li>Power Output</li> </ul>	Software Upgrade   Upgrade File   Device Restart   Restart   Restart   Restart   Restart   Restart   Enable Auto Restart   Each Day   Default   Keep current network and user settings and restore other settings to defaults.   Importing   Exporting   C:MyLocalFiles\Debug\   Power Output	Software Upgrade   Upgrade File   Device Restart   Restant   Restant   Restant   Restant   Enable Auto Restart   Each Day   02:00:00   OK     Config Management   Default   Keep current network and user settings and restore other settings to defaults.   Importing   Exporting   C:\MyLocalFiles\Debug\   Power Output

- (3) Click **Browse** in the **Software Upgrade** area. In the **Select** dialog box that appears, select the upgrade file package, for example, IPC\_5202-XXXXX.zip, and then click **Open**.
- (4) Click **Upgrade**. You cannot operate on other pages during the upgrade process.
- (5) Wait till the upgrade is completed. A message appears to indicate successful upgrade and prompt you to log in again after the device restarts.

© 2014-2015, Zhejiang Uniview Technologies Co., Ltd. All Rights Reserved.

No part of this manual may be reproduced or transmitted in any form or by any means without prior written consent of Zhejiang Uniview Technologies Co., Ltd.

The information in this manual is subject to change without notice.