IPC_G6101-B5005D1509 Release Notes

Zhejiang Uniview Technologies Co., Ltd

IPC_G6101-B5005D1509 Release Notes

Keywords: Version information, version upgrade

Abstract: This document provides detailed version information and upgrade procedure for

IPC_G6101-B5005D1509.

Acronym:

Acronym	Full Name
IPC	IP Camera

Content

1 Version Information	3
1.1 Version Number ······	3
1.2 Release History	3
1.3 Version Mapping Table·····	
2 Feature Change Description·····	3
3 Version Upgrade Procedure ·····	3
3.1 Upgrade Overview·····	3
3.1.1 Version Upgrade Environment······	4
3.2 Upgrade Procedure ·····	4
3.2.1 Upgrade Through the Web	4

1 Version Information

1.1 Version Number

IPC_G6101-B5005D1509

1.2 Release History

Table 1 Released versions

Version No.	Basic Version No.	Released On	Remarks
IPC_G6101-B5005D1509	IPC_G6101-B0003P01D1508	2015-10-26	improved release

1.3 Version Mapping Table

Table 2 Version mapping table

Product Mapping Item	Version No. (For External)
NVR-B200-E4@32	B3115P30
NVR304-32E	B3115P30

Table 3 Product models and corresponding versions

Product Series	IPC Series	Initial Version	
Series	IPC2121SR3、IPC2122		
Туре	IPC2121SR3 Series: IPC2121SR3-PF36、IPC2121SR3-PF60、IPC2121SR3-PF120	B150501	
	IPC2122SR3 Series: IPC2122SR3-PF36、IPC2122SR3-PF60、IPC2122SR3-PF120		
Target file name	IPC_G6101-B5005D1509.zip		

2 Feature Change Description

Solved issues:

- 1. Optimized indoor image.
- 2. Optimized motion detection sensitivity.
- 3. 5% anti-packet loss rate for TCP live view. 6. New standard for ONVIF alarm format.
- 4. Bug fixes.


3 Version Upgrade Procedure

3.1 Upgrade Overview

3.1.1 Version Upgrade Environment

1. Network Architecture for Upgrade

Figure 1 Network architecture




As shown in this figure, the version files are stored on the PC that is connected to the IPCs through the network.

3.2 Upgrade Procedure

3.2.1 Upgrade Through the Web

- (1) Log in to the Web interface as **admin** (default password: 123456).
- (2) Click Setup > Maintenance > Device Maintenance. The Device Maintenance page is displayed.



Note:1. Software upgrade, system restart, restoration to default and configuration import will cause device restart.

2. Restarting the device will interrupt the connection to the device.

- (3) Click **Browse** in the **Software Upgrade** area. In the **Select** dialog box that appears, select the upgrade file package, for example, IPC_G6101-XXXXX.zip, and then click **Open**.
- (4) Click **Upgrade**. You cannot operate on other pages during the upgrade process.
- (5) Wait till the upgrade is completed. A message appears to indicate successful upgrade and prompt you to log in again after the device restarts.

 $\hbox{@ 2014-2015},$ Zhejiang Uniview Technologies Co., Ltd. All Rights Reserved.

No part of this manual may be reproduced or transmitted in any form or by any means without prior written consent of Zhejiang Uniview Technologies Co., Ltd.

The information in this manual is subject to change without notice.