IPC_HCMN1102-R5028P07D1603 Release Notes

Zhejiang Uniview Technologies Co., Ltd

IPC_HCMN1102-R5028P07D1603

Release Notes

Keywords: Version information, version upgrade

Abstract: This document provides detailed version information and upgrade procedure for IPC_HCMN1102-R5028P07D1603.

Acronym:

Acronym	Full Name
IPC	IP Camera

Content

1 Version Information3
1.1 Version Number ······3
1.2 Release History ······3
1.3 Version Mapping Table ·······3
2 Feature Change Description 4
2.1 New features4
3 Version Upgrade Procedure4
3.1 Upgrade Overview4
3.1.1 Version Upgrade Environment ······4
3.1.2 Version Upgrade Modes4
3.2 Upgrade Procedure4
3.2.1 Upgrade Through the Web ······4

1 Version Information

1.1 Version Number

IPC_HCMN1102-R5028P07D1603

1.2 Release History

Table 1 Released versions

Version No.	Basic Version No.	Released On	Remarks
IPC_HCMN1102-R5028P07D1603	IPC_HCMN1102-F5027P01D1511	2016-6-8	Improved relese

1.3 Version Mapping Table

Table 2 Version mapping table

Product Mapping Item	Version No. (For External)	
NVR301-04-P4	B3202	
NVR301-08-P8	B3202	

Table 3 Product models table

Product Series	IPC Series		
Series	IPC6221ER, IPC6221LR,IPC6222ER,IPC641E, IPC6241SR, IPC6242SL, IPC6242SR, IPC641E, IPC642E		
	IPC6221ER series: IPC6221ER-X20,IPC6221ER-X20P, IPC6221ER-X30,		
	IPC6221ER-X30P		
	IPC6221LR series: IPC6221LR-X20S, IPC6221LR-X20SP		
	IPC6222ER series: IPC6222ER-X20, IPC6222ER-X20P, IPC6222ER-X30,		
	IPC6222ER-X30P		
	IPC6241SR series: IPC6241SR-X22,IPC6241SR-X30, IPC6241SR-X20		
Models	IPC6242SL series: IPC6242SL-X22,IPC6242SL-X33, IPC6242SL-X22G、		
	IPC6242SL-X33G		
	IPC6242SR series: IPC6242SR-X22,IPC6242SR-X30, IPC6242SR-X33、		
	IPC6242SR-X20		
	IPC641E series: IPC641E-X22I-IN, IPC641E-X22-IN, IPC641E-X22IR-IN		
	IPC642E series: IPC642E-X22I-IN, IPC642E-X22-IN, IPC642E-X22IR-IN		
Target file name	IPC_HCMN1102-R5028P07D1603.zip		

2 Feature Change Description

2.1 New features

1.Login with IPv6 address.

2.Custom time to resume interrupted scheduled patrol.

3.Custom time to resume home position.

4. Internet access with weak password will be denied.

5.Fast forward/backward and timeline bar-dragging when playing queried recordings in Internet Explorer.


3 Version Upgrade Procedure

3.1 Upgrade Overview

3.1.1 Version Upgrade Environment

1. Network Architecture for Upgrade

Figure 1 Network architecture



As shown in this figure, the version files are stored on the PC that is connected to the IPCs through the network.

3.1.2 Version Upgrade Modes

You can upgrade through the Web.

3.2 Upgrade Procedure

3.2.1 Upgrade Through the Web

- (1) Log in to the Web interface as **admin** (default password:123456).
- (2) Click Setup > Maintenance > Device Maintenance. The Device Maintenance page is displayed.

Firmware Upgrade			
Upgrade File		Browse Upgrade Upgrade Boot Progr	am
Device Restart			
Restart	Restart the device.		
🗌 Enable Auto Restart	Each Day V 02:00:00	ОК	
Config Management			
Default	Keep current network and user settings and restore other settings to defaults.		
Importing		Browse Import	
Exporting	C:\Users\Desktop\tftp	Browse Export	
Diagnosis Info			
Storage Path	C:\Users\MyLocalFiles\Debug\	Browse Download	

(3) Click **Browse** in the **Firmware Upgrade** area. In the **Select** dialog box that appears, select the upgrade file package, for example, IPC_HCMN1102 -XXXXX.zip, and then click **Open**.

Maintenance			
Firmware Upgrade			
Upgrade File	C:\Users\Desktop\tftp\IPC G6102-B5005D1509.zip	Browse	Upgrade Dupgrade Boot Program
Device Restart			
Restart	Restart the device.		
🗌 Enable Auto Restart	Each Day 02:00:00	OK	
Config Management			
Default	Keep current network and user settings and restore other settings to defaults.		
Importing		Browse	Import
Exporting	C:\Users\Desktop\tftp	Browse	Export
Diagnosis Info			
Storage Path	C:\Users\MyLocalFiles\Debug\	Browse	Download

(4) Click **Upgrade**. You cannot operate on other pages during the upgrade process.

(5) Wait till the upgrade is completed. A message appears to indicate successful upgrade and prompt you to log in again after the device restarts.

 $\ensuremath{\textcircled{\sc 0}}$ 2014-2016, Zhejiang Uniview Technologies Co., Ltd. All Rights Reserved.

No part of this manual may be reproduced or transmitted in any form or by any means without prior written consent of Zhejiang Uniview Technologies Co., Ltd.

The information in this manual is subject to change without notice.