

IPC_HCMN2101-B5011P07D1603

Release Notes

Zhejiang Uniview Technologies Co., Ltd

IPC_HCMN2101-B5011P07D1603 Release Notes

Keywords: Version information, version upgrade

Abstract: This document provides detailed version information and upgrade procedure for IPC_HCMN2101-B5011P07D1603.

Acronym:

| Acronym | Full Name |
|---------|-----------|
| IPC | IP Camra |

Content

| | |
|--|----------|
| 1 Version Information | 3 |
| 1.1 Version Number | 3 |
| 1.2 Release History | 3 |
| 1.3 Version Mapping Table | 3 |
| 2 Feature Change Description | 3 |
| 3 Version Upgrade Description | 3 |
| 4 Version Upgrade Procedure | 4 |
| 4.1 Upgrade Overview | 4 |
| 4.1.1 Version Upgrade Environment | 4 |
| 4.1.2 Version Upgrade Modes | 4 |
| 4.2 Upgrade Procedure | 4 |
| 4.2.1 Upgrade Through the Web | 4 |

1 Version Information

1.1 Version Number

IPC_HCMN2101-B5011P07D1603

1.2 Release History

Table 1 Released versions

| Version No. | Basic Version No. | Released On | Remarks |
|----------------------------|-------------------------|-------------|------------------|
| IPC_HCMN2101-B5011P07D1603 | IPC_HCMN2101-B5010D1601 | 2016-6-8 | Improved release |

1.3 Version Mapping Table

Table 2 Version mapping table

| Product Mapping Item | Version No. (For External) |
|----------------------|----------------------------|
| NVR301-04-P4 | B3202 |
| NVR301-08-P8 | B3202 |

Table 3 Product models and corresponding versions

| Product Series | IPC Series |
|------------------|---|
| Series | IPC6242、IPC6248 |
| Models | IPC6242 Series: IPC6242SR-X22U、IPC6242SFW-X22U、IPC6242SWH-X22U |
| | IPC6248 Series: IPC6248SR-X22 |
| Target file name | IPC_HCMN2101-B5011P07D1603.zip |

2 Feature Change Description

- 1.Login with IPv6 address.
- 2.Custom time to resume interrupted scheduled patrol.
- 3.Custom time to resume home position.
- 4.Internet access with weak password will be denied.
- 5.Fast forward/backward and timeline bar-dragging when playing queried recordings in Internet Explorer.

3 Version Upgrade Description

None.


4 Version Upgrade Procedure

4.1 Upgrade Overview

4.1.1 Version Upgrade Environment

1. Network Architecture for Upgrade

Figure 1 Network architecture



As shown in this figure, the version files are stored on the PC that is connected to the IPCs through the network.

4.1.2 Version Upgrade Modes

You can upgrade through the Web.

4.2 Upgrade Procedure

4.2.1 Upgrade Through the Web

- (1) Log in to the Web interface as **admin** (default password: 123456).
- (2) Click **System > Maintenance**. The **Maintenance** page is displayed.

| | |
|--|--|
| Firmware Upgrade | |
| Upgrade File | <input type="text"/> <input type="button" value="Browse..."/> <input type="button" value="Upgrade"/> <input type="checkbox"/> Upgrade Boot Program |
| Device Restart | |
| <input type="button" value="Restart"/> | Restart the device. |
| <input type="checkbox"/> Enable Auto Restart | Each Day <input type="button" value="v"/> 02:00:00 <input type="button" value="L"/> <input type="button" value="OK"/> |
| Config Management | |
| <input type="button" value="Default"/> | Keep current network and user settings and restore other settings to defaults. |
| Importing | <input type="text"/> <input type="button" value="Browse..."/> <input type="button" value="Import"/> |
| Exporting | C:\Users\Desktop\lftp <input type="button" value="Browse..."/> <input type="button" value="Export"/> |
| Diagnosis Info | |
| Storage Path | C:\Users\MyLocalFiles\Debug\ <input type="button" value="Browse..."/> <input type="button" value="Download"/> |

- (3) Click **Browse** in the **Firmware Upgrade** area. In the **Select** dialog box that appears, select the upgrade file package, for example, IPC_HCMN2101-XXXXX.zip, and then click **Open**.
- (4) Click **Upgrade**. You cannot operate on other pages during the upgrade process.

Maintenance

Firmware Upgrade

Upgrade File Upgrade Boot Program

Device Restart

Restart the device.

Enable Auto Restart

Config Management

Keep current network and user settings and restore other settings to defaults.

Importing

Exporting

Diagnosis Info

Storage Path

- (5) Wait till the upgrade is completed. A message appears to indicate successful upgrade and prompt you to log in again after the device restarts.